


OPUS & PKP : faire communauté

Erwan Bourrand, Olivier Ghuzel, Maxence Larrieu
Université Paris Cité
2023-09-19



Escher, M.
1935
Sky and Water I
The Netherlands
The Escher Collection
The Escher Collection

OJS et le HTML

vers un groupe fr

plein texte : galleys

food & nutrition
research



HOME ABOUT ▾ CONTENT ▾ SUBMISSIONS ▾ POLICIES ▾

HOME / ARCHIVES / VOL 67 (2023) / Original Articles

Efficacy of a proprietary combination of *Tamarindus indica* seeds and *Curcuma longa* rhizome extracts in osteoarthritis: a clinical investigation

Nandal Prasad


Vatsalya Multispeciality Hospital, Varanasi, Uttar Pradesh, India

Vineet Vinay

The p value (RES & STATS Private Limited), Pune, Maharashtra, India





Anupam Srivastava

Bajrang Memorial Fracture, Accidental & Surgical Center, Varanasi, Uttar Pradesh,



A *galley* is the final publication-ready file that has been prepared for readers and will be published on the article page. Galleys [are] stable format versions of the full-text article

galleys : plugins

 PDF
 HTML
 EPUB
 XML

PDF.JS PDF Viewer
JATSParserPlugin
epubJsViewer-ojs
LensGalley

plugins : maintenabilité

at least 80 plugins

#	Plugin Name	3.4.0	3.3.0	3.2.1	3.2.0	3.1.2	3.4.0	3.1.1	3.1.0	3.0.2	3.0.
1	EKT / epubJsViewer-ojs	last compatible: 1.0.0.0 for 3.2.1	last compatible: 1.0.0.0 for 3.2.1	1.0.0.0	-	-	-	-	-	-	-
2	asmecher / hypothesis	1.0.5.0	1.0.4.0	1.0.3.2	1.0.3.2	1.0.1.0	1.0.5.0	1.0.1.0	1.0.0.0	1.0.4.0	1.0.4.0
3	pkp / shibboleth	last compatible: 1.2.0.0 for 3.3.0	1.2.0.0	1.2.0.0	1.2.0.0	1.0.0.0	last compatible: 1.0.0.0 for 3.1.1	1.0.0.0	1.0.0.0	1.2.0.0	1.2.0.0
4	pkp / translator	last compatible: 2.0.3.1 for 3.1.2	last compatible: 2.0.3.1 for 3.1.2	last compatible: 2.0.3.1 for 3.1.2	last compatible: 2.0.3.1 for 3.1.2	2.0.3.1	last compatible: 2.0.3.0 for 3.1.1	2.0.3.0	2.0.3.0	last compatible: 2.0.3.1 for 2.3	last compatible: 2.0.3.1 for 2.3
5	asmecher / backup	2.0.4.0	2.0.3.0	2.0.2.2	2.0.2.1	2.0.1.0	2.0.4.0	2.0.0.0	2.0.0.0	2.0.3.0	2.0.3.0
6	pkp / plagiarism	last compatible: 1.0.6.0 for 3.3.0	1.0.6.0	1.0.3.0	1.0.3.0	1.0.2.0	last compatible: 1.0.1.0 for 3.1.1	1.0.1.0	last compatible: 1.0.6.0 for 3.0.2	1.0.6.0	1.0.6.0
7	pkp / coins	1.0.4.1	1.0.3.3	1.0.3.3	1.0.3.0	1.0.2.1	1.0.4.1	1.0.1.0	1.0.1.0	1.0.3.3	1.0.3.3
8	pkp / quickSubmit	1.0.7.1	1.0.6.1	1.0.5.6	1.0.5.2	1.0.4.1	1.0.7.1	1.0.2.0	1.0.1.0	1.0.6.1	1.0.6.1

2000
1st release

... more than 20 years ...

2023-08
3.4

Vol. 36 No. 2 (2021) Articles

The Limits of Corporate Chains and Brand Management: “Loyalty” and the Efficacy of Vernacular Markets in the Andes

By Juliana Müller

Publication Information

<https://doi.org/10.14506/ca36.2.04>

HTML

PDF

EPUB



Abstract

This article offers a nuanced ethnographic description of the encounter between multinational corporations and the economic actors who distribute and commercialize their commodities. By analyzing the labor of lower-level employees and the strategies of the middle management of Samsung Electronics Bolivia against traders' practices and understandings and the vernacular market infrastructure, I offer a substantive interpretation of the obstacles and unintended outcomes of corporate commodity chain and brand management as it expands into an “emerging” market such as that in Bolivia. Street vendors, shopkeepers, and wholesalers are teased with personalized attention, gifts, and monetary incentives to sell the high-priced premium brands and build legible inventory, but they have remained notoriously disloyal. By focusing on the agreements and tensions between corporations and traders about how to move, store, categorize, advertise, and price the products, this article engages with the literature on urban marketplace trade and commercial transactions, counterfeit commodity power in globalized markets and supply chains. To think about the appropriate vernacular market channels and arrangements offers a conceptual lens efficiency paradigm in supply chain thinking, as well as to analyze discursive struggles not only among economic actors (such as traders and corporations) but also different forms of valuation that co-exist and compete in markets.

**CULTURAL
ANTHROPOLOGY**

Landing page

<https://doi.org/10.14506/ca36.2.04>

Contenant et contenu





Figure 17. Distribution of formats (Q27) in three leading platforms (OpenEdition Journals, SciELO, ScienceOpen) and in individual journals using Open Journal Systems (Q13)



Plateforme/prototype	nb revues	OJS/OMP	outil conversion XML	publie HTML	HTML techno
U. Bordeaux revues	11	OJS 3.2	<i>ad hoc</i>	✓	<i>ad hoc</i>
OPUS-journals	1	OJS 3.3 & OMP 3.3	Métopes	✓	JATSParser plugin
Cambouis/Métopes	1	OJS 3.3	Métopes	✓	Lens Galley Viewer



3.5.0 Major Features

“

PKP continues to make progress towards supporting journals' ability to create and edit JATS XML versions of their article

[PKP Enables Diamond Open Access](#) (2021)

- Major rework of submission lists
- Integration of ORCID and CRediT
- “Home” for **JATS** XML documents
- Invitations tools and GDPR reworking
- Editorial board management
- Multilingual metadata improvements



OPUS journal

Emerging Neurologist

OJS version : 3.3

Solution publier HTML : JATSParserPlugin

Sortir du docx : Métopes


formats publiés : JATS, HTML, PDF

hébergement : local

peer review : oui



The importance of functional analysis: a cautionary case of cerebellar ataxia

Poornima Jayadev Menon ✉, Petya Bogdanova-Mihaylova, Andrew Green, Kenneth Smith, Laura Yarram-Smith, Malcolm Taylor, Philip Byrd, Harpreet Dibra, Richard A. Walsh, Sinead M. Murphy

<https://doi.org/10.53480/emerg-neurol.2e8f>

Published: 2023-09-07
Accepted: 2023-06-15
Submitted: 2023-05-03

Reviewers

Alexandre Leclancher
Sakadi Foksouna

Metrics


Article views: 21
PDF downloads: 2

License

Abstract

Introduction. Cerebellar ataxias are a heterogeneous group of disorders with various cerebellar and extracerebellar manifestations. The underlying aetiology in early-onset, progressive, sporadic ataxia, is often autosomal recessive cerebellar ataxia (ARCA). The advent and rapid clinical integration of next-generation sequencing (NGS) has made it increasingly possible to provide a genetic diagnosis for patients with suspected ARCA. However, one of the greatest challenges of NGS is the interpretation and reclassification of variants of uncertain significance (VUS).

Case report. Ataxia telangiectasia was suspected due to progressive teenage-onset ataxia in a 42-year-old woman with a history of breast cancer, ovarian mass, and elevated alpha-

Download PDF 

Download XML

Keywords



ataxia, DNA mutational analysis, ataxia telangiectasia mutated (ATM) protein, senataxin (SETX), biomarkers

How to Cite

Jayadev Menon, P., Bogdanova-Mihaylova, P., Green, A., Smith, K., Yarram-Smith, L., Taylor, M., Byrd, P., Dibra, H., Walsh, R., Murphy, S.



The importance of functional analysis: a cautionary case of cerebellar ataxia

Poornima Jayadev Menon¹ ✉, Petya Bogdanova-Mihaylova¹ , Andrew Green^{2,3} , Kenneth Smith⁴, Laura Yarram-Smith⁵, Malcolm Taylor⁶, Philip Byrd⁷, Harpreet Dibra⁸, Richard A. Walsh^{1,6,7}, Sinead M. Murphy^{1,6} 

¹Department of Neurology, Tallaght University Hospital, Dublin, Ireland
²Department of Clinical Genetics, Children's Hospital Ireland at Crumlin, Dublin, Ireland
³Department of Medical Genetics, University College Dublin School of Medicine and Medical Science, Ireland
⁴South West Genomics Laboratory Hub, North Bristol NHS Trust, UK
⁵Institute of Cancer and Genomic Sciences, University of Birmingham, UK
⁶Academic Unit of Neurology, Trinity College Dublin, Ireland
⁷Centre for Brain Health, Dublin Neurological Institute at the Mater Misericordiae University Hospital, Dublin, Ireland


✉ Corresponding author:
poornimajaymenon@gmail.com

<https://doi.org/10.53480/emerg-neurol.2e8f>

Introduction. Cerebellar ataxias are a heterogeneous group of disorders with various cerebellar and extracerebellar manifestations. The underlying aetiology in early-onset, progressive, sporadic ataxia, is often autosomal recessive cerebellar ataxia (ARCA). The advent and rapid clinical integration of next-generation sequencing (NGS) has made it increasingly possible to provide a genetic diagnosis for patients with suspected ARCA. However, one of the greatest challenges of NGS is the interpretation and reclassification of variants of uncertain significance (VUS).




```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE article
PUBLIC "-//NLM//DTD JATS (Z39.96) Journal Publishing DTD v1.2 20190208//EN" "https://jats.nlm.nih.gov/publishing/1.2/JATS-journalpublishing1.dtd">
<article xmlns:xlink="http://www.w3.org/1999/xlink" xmlns:ali="http://www.niso.org/schemas/ali/1.0/" article-type="case-report" dtd-version="1.2" specific-use="ojs-display" xml:lang="en">
<front>
<journal-meta>
<journal-id journal-id-type="publisher">Emerging Neurologist</journal-id>
```



“

Publier du contenu en xml demande un workflow de production d'une certaine technicité.

P. Mounier [youtube](#)





JATS4R is a NISO Working Group

```
<sec sec-type="data-availability">
<title>Data Availability</title>
<p>The data analysis file and all annotator data files are available in the
Figshare repository, <ext-link ext-link-type="uri" xlink:href="https://doi.org/10.6084/m9.figshare.1285515">https://doi.org/10.6084/m9.figshare.1285515</ext-link> [<xref ref-type="bibr" rid="pone.0167292.ref032">32</xref>]. The measured and simulated Euler angles, and the simulation codes are available from the Dryad database, <ext-link ext-link-type="uri" xlink:href="https://doi.org/10.5061/dryad.cv323">https://doi.org/10.5061/dryad.cv323</ext-link> [<xref ref-type="bibr" rid="pone.0167292.ref033">33</xref>]. Microarray data are deposited
```



- ORCID
- ROR id
- ref. biblio
- DOI opaque

Data stewardship

[The new OpenAIRE plugin adds JATS as a new XML metadata format](#)




 EMERGING NEUROLOGIST IS A DIAMOND OPEN ACCESS JOURNAL



Modèle économique

- société savante (FIJNF)
- facturation annuelle
 - accompagnement
 - infrastructure
 - édition coût réel

Cambouis




OPUS Journal
sous le capot

Des plugins pour :

- Intégrer Opus au système global des *Open Linked Data*
- Assurer une meilleure exposition sur le web

Prise en charge technique différenciée :

- PKP
- Communauté Open Source OJS
- équipe Opus



Politique de hiérarchisation des développements

1. Fonctionnalités visuelles

- **Plugin Thème**
 - Vérifier si pas faisable via backoffice ou par plugin déjà existant
 - Système templates, modulaire
 - Exemple fonctionnalité :
 - Chargement CSS, Javascripts,
 - Agencement page,
 - Traitement/affichage valeurs dans la base de données

2. Développements fonctionnels


- **Plugins spécifiques**
 - Si besoin modification dans :
 - Base de donnée
 - Plugin déjà existant
 - Interface back-office

3. Problèmes relevant du noyau


- **Remontées d'erreurs**
 - Pour des erreurs localisés dans le noyau OJS/PKP
 - Informer communauté via Github et Forum PKP
 - Attendre mise à jour d'OJS

Exemple 1 : Custom Page 404 Plugin

Page 404 native ([amwajournal.org](https://www.amwajournal.org))



Custom Page 404 Plugin (emerging-neurologist.org)



Exemple 2 : Conserver nommage fichier PDF au téléchargement

Problème observé :

- PDF téléchargé nommé **document.pdf** au lieu de **nagazi-2022-emerg-neurol_16-24_new-1.pdf**

Cause du problème :


- Problème de syntaxe dans noyau PKP :

```
header('Content-Disposition: ' . ($inline ? 'inline' : 'attachment') . "; filename*=UTF-8''\"$encodedFilename\"");
```


Exemple 2 : Mauvais nommage du document PDF télécharger

Solution adoptée :

- Remontée du problème à la communauté PKP pour une correction sur une future version d'OJS.







A screenshot of a GitHub comment by user NateWr. The comment is dated Mar 30, 2022. It contains the text: "Merged to `stable-3_3_0` and forward-ported to `main` . Thanks for the report, @ErwanBo, and for finding source of the problem and testing the solution as well. It's easy to solve an issue when you've done the homework for us. 😊". Below the text are reaction icons for a smiley face and a heart with the number 1. At the bottom, there is a checkmark icon and a note: "NateWr closed this as completed on Mar 30, 2022".

 **NateWr** commented on Mar 30, 2022 Member Author ...

Merged to `stable-3_3_0` and forward-ported to `main` .

Thanks for the report, @ErwanBo, and for finding source of the problem and testing the solution as well. It's easy to solve an issue when you've done the homework for us. 😊

  1

  **NateWr** closed this as completed on Mar 30, 2022

4. Intérêt de ces bonnes pratiques

- **Maintenabilité**
 - Facilitation de la montée en version
 - Fiabilité du noyau
- **Aide à la communauté**
 - Remonté de bug à la communauté PKP
 - Partage des plug-ins créés et modifiés

En Synthèse

Faire communauté pour être soutenable

- La roadmap technique de PKP
- Les plugins de la communauté mondiale PKP
- Cibler où faire les dev. dans l'environnement PKP
- Partager et ouvrir

